

## Bibliographie Prévention infection PT Epaule inversée: 20 Mars 2019

surligné en jaune, l'article de synthèse de référence

**Clark JC, Abilgaard JT, Backes J, Hawkins RJ.** Preventing infection in shoulder surgery. *J Shoulder Elbow Surg.* 2017 Jul;26(7):635-40.

**Craig SC et al.** Serious adverse effects and lifetime risk of reoperation after elective shoulder replacement: population based cohort study using hospital episode statistics for England. *BMJ* 2019 364 1298

**Corvec S.** Clinical and Biological Features of *Cutibacterium* (Formerly *Propionibacterium*) *avidum*, an Underrecognized Microorganism. *Clin Microbiol Rev.* 2018 May 30;31(3).

**Dizay HH, Lau DG, Nottage WM.** Benzoyl peroxide and clindamycin topical skin preparation decreases *Propionibacterium acnes* colonization in shoulder arthroscopy. *J Shoulder Elbow Surg.* 2017 Jul;26(7):1190-95.

**Heckmann N, Sivasundaram L, Heidari KS, Weber AE, Mayer EN, Omid R, Vangsness CT Jr, Hatch GF 3rd.** *Propionibacterium acnes* Persists Despite Various Skin Preparation Techniques. *Arthroscopy.* 2018 Jun;34(6):1786-9.

**Horneff JG, Hsu JE, Voleti PB, O'Donnell J, Huffman GR.** Propionibacterium acnes infection in shoulder arthroscopy patients with postoperative pain. *J Shoulder Elbow Surg.* 2015 Dec;24:838-43.

**Hudek R, Sommer F, Kerwat M, Abdelkawi AF, Loos F, Gohlke F.** Propionibacterium acnes in shoulder surgery: true infection, contamination, or commensal of the deep tissue? *J Shoulder Elbow Surg.* 2014 Dec;23(12):1763-71.

**Johanson L, Hailer NP, Rahme H.** High incidence of periprosthetic joint infection with Propriionibacterium acnes after the use of a stemless shoulder prosthesis with metaphyseal screw fixation-a retrospective cohort study of 241 patients Propriionibacterium infections after eclipse TSA. *BMC Musculoskeletal disorders* 2017 18: 203-11.

**Lehtimäki K, Rasmussen JV, Mokka J, Salomonsson B, Hole R, Jensen SL, Äärimaa V.** Risk and risk factors for revision after primary reverse shoulder arthroplasty for cuff tear arthropathy and osteoarthritis: a Nordic Arthroplasty Register Association study. *J Shoulder Elbow Surg.* 2018 Sep;27(9):1596-1601. doi: 10.1016/j.jse.2018.02.060. Epub 2018 May 18.

**Matsen FA 3rd, Russ SM, Bertelsen A, Butler-Wu S, Pottinger PS.** *Propionibacterium* can be isolated from deep cultures obtained at primary arthroplasty despite intravenous antimicrobial prophylaxis. *J Shoulder Elbow Surg.* 2015 Jun;24(6):844-7.

**Morris BJ, O'Connor DP, Torres D, Elkousy HA, Garstman GM, Edwards TB.** Risk factors for periprosthetic infection in reversed shoulder arthroplasty. *J Shoulder Elbow Surg.* 2015 Jun;24:161-6.

**Nakase K, Fukushima H, Yukawa T, Nakaminami H, Fujii T, Noguchi N.** Propionibacterium acnes has Low Susceptibility to Chlorhexidine Digluconate. *Surg Infect (Larchmt).* 2018 Apr;19(3):298-302.

**Phadnis J, Gordon D, Krishnan J, Bain GI.** Frequent isolation of Propionibacterium acnes from the shoulder dermis despite skin preparation and prophylactic antibiotics. *J Shoulder Elbow Surg.* 2016 Jun;25:304-10.

**Qiu B, Al K, Pena-Diaz AM, Athwal GS, Drosdowech D, Faber KJ, Burton JP, O'Gorman DB.** Cutibacterium acnes and the shoulder microbiome. *J Shoulder Elbow Surg.* 2018 Oct;27(10):1734-9.

**Sabetta JR, Rana VP, Vadasdi KB, Greene RT, Cunningham JG, Miller SR, Sethi PM.** Efficacy of topical benzoyl peroxide on the reduction of Propionibacterium acnes during shoulder surgery. *J Shoulder Elbow Surg.* 2015 Jul;24(7):995-1004.

**Tashjian RZ, Granger EK, Zhang Y.** Utility of prerevision tissue biopsy sample to predict revision shoulder arthroplasty culture results in at-risk patients. *J Shoulder Elbow Surg.* 2017 Jul;26: 197-203.